The Bryologist 103(4), pp. 835–848
Copyright © 2000 by the American Bryological and Lichenological Society, Inc.

Index to Volume 103 of The Bryologist

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824-3590

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." Lichen substances and selected keywords in the titles and text of articles are also included.

We welcome all comments and suggestions. Please send them to david.lane@unh.edu.

2′-*O*-demethylpsoromic acid (Lecanora), 485+
4-*O*-demethylbarbatic acid (Usnea), 42
4-*O*-demethylnotatic acid (Lecanora rabdotoides), 142
4-*O*-methylhypoprotocetraric acid (Lecanora notatica), 142

Abies lasiocarpa, 28+
Abietinella, 512+
Absolute distances (Peltigera), 495
Acroporium pungens, 245+; 777
Actin gene (Trebouxia), 646
Actin type I, 657
Actin type II, 657
Actinothuidium, 512+
Adelothecium bogotense, 777
Adirondack Mountains (New York), 592+m
Adirondack Mountains, New York (bryophytes), 749+
Agassiz Association, 6+
Agricultural settings (bryophytes), 720+
AHMADJIAN, VERNON, 23+*
AKIYAMA, HIROYUKI. *See* LUNA, EFRAÍN DE, 242+
Alectoria sarmentosa, 31+, 420; sp., 460+; vancouverensis, 420+
Alectorioid lichens, 663+
Alectoronic acid (Neofuscelia), 572
Alectoronic acid complex (Parmotrema), 545
ALFAYATE, CARMEN, BELÉN ESTÉBANEZ and EUGENIA RON. The Sporophyte-Gametophyte Junction in Five Species of Pleurocarpous Mosses, 467+
Alignment matrix (matK coding region), 641+
Alaska (lichens), 379+
ALLEN, BRUCE, 183
ALLEN, BRUCE, WILLIAM R. BUCK, RONALD A. PURSELL and BARBARA M. THIERS. Recent Literature on Bryophytes—103(1), 168+
ALLEN, BRUCE. *See* BUCK, WILLIAM R., 387+
ALLEN, BRUCE. *See* PURSELL, RONALD A., 610+
ALLEN, BRUCE. *See* THIERS, BARBARA M., 806+
ALLEN, CHARLES E. (photograph), 442+
Allopolyploidy (Sphagnum troendelagicum), 795+
Alpha-collatolic (Neofuscelia), 573
Alternating life cycles (cryptogams), 87
Amandinea sp., 431+
Amblyodon dealbatus, 217+, 228+
Amblystegiaceae, 781+
Amblystegium serpens, 728+
Ambuchanania, 284; leucobryoides, 280+
American Bryological and Lichenological Society, 3+, 15+
American Bryological Society, 8+, 23
American-African disjunct species, 145+
Amphidium californicum, 262+; lapponicum, 262+
Anacamptodon splachnoides, 244+, 777
ANDERSON, L. E., 11
ANDERSON, L. E. Early History of the American Bryological and Lichenological Society, 3+
ANDERSON, LEWIS E. Great Discoveries in Bryology and Lichenology: Charles E. Allen and Sex Chromosomes, 442+
ANDERSON, LEWIS E. *See* SHAW, A. JONATHAN, 147+
Anderson, Roger, 23
Andreaea rothii, 188+, 280+, 595; rupestris, 595+
Andreaea rupestris protonema, 200*
Andreaeobryum macrosporum, 188+; protonema, 200+*
ANDREWS, A. L., 9+
Anomobryum julaceum, 228+
Anomodon rugelii, 244+, 777
Anomodontaceae, 781+
Anthoceros, 322+; agrestis, 188+; punctatus, 188+, 332+
Anthraquinones (Paraparmelia), 590
Antitrichia californica, 721+; curtipendula, 421+, 663+
Aphanorrhegma serratum, 216+
Apical cells (mosses), 88
Araucaria, 142
Archidium donnelli, 217+
Arctic (lichenology), 766+
Arctoa falcata, 260+; fulvella, 260+
Arctoa/Kiaeria, 595
ARIKAWA, TOMOTSUGU. *See* LUNA, EFRAÍN DE, 242+
ARIZONA (CULBERSONIA AMERICANA), 771+
ARSENAULT, ANDRÉ. *See* GOWARD, TREVOR, 28+
Arthrocormus schimperi, 260+
Arthrodontous mosses, 212+
ASAHINA, YASUHIKO (1880–1975), 710+*
Asexual reproduction (Gomphillaceae), 137*
Asia, southern and southeastern (Symphyodon), 52+
Asterella, 625+; australis, 628+; bachmannii, 628+; bolanderi, 332+, 628+; californica, 332+, 628+; gracilis, 332+, 628+; grollei, 628+; innovans, 628+; khasyana, 628+; leptophylla, 628+; lindenbergiana, 628+; macropoda, 628+; multiflora, 628+; palmeri, 628+; syngenesica, 628+; tenella, 628+; wallichiana, 628+
Athalamia hyalina, 332+, 627+
Atranorin, 563+
Atranorin (Fuscopannaria spp.), 685+
Atranorin (Lecanora spp.), 139+
Atranorin (Lecanora thysanophora), 791
Atrichum senellum protonema, 205*
Atrichum undulatum, 749+

0007-2745/00/835–848$1.55/0

Aulacomniaceae, 779+
Aulacomnium androgynum, 777; palustre, 461+; turgidum, 228+
Aulocopilium hodgkinsoniae, 261+
Aytoniaceae, 625+

Bacidia beckhausii, 420+; laurocerasi, 728+; lutescens, 420+; sp., 431+
Baeomycesic acid (Parmelia), 590
Baeomycesic acid (Usnea), 42
BAKER, GLADYS, 21
Barbatic acid (Usnea), 42
Barbilophozia attentuata, 623*; barbata, 728+; hatcheri, 461+; lycopodioides, 461+
Bark chemistry, 30
Bark, rough, 663+
Bark, smooth, 663+
BARTRAM, E. B., 9+
Bartramia halleriana, 228+, 244+, 260+; stricta, 217+, 228+, 260+
BASILE, DOMINICK V., 13
BEGORA, MICHAEL D. and DIANNE FAHSELT. An Alternative Method for the Quantification of Lichen Secondary Products, 563+
Belarus (lichenology), 765+
BERGERON, YVES. *See* BOUDREAULT, CATHERINE, 725+
BERRY, EDWARD, 21
Bescherellia brevifolia, 189+, 229+; cryphaeoides, 244+, 777; elegantissima, 244+
Biatora carneoalbida, 728+; nobilis, 420+; vernalis, 728+
Biomass growth rates (lichen), 449+
Blasia, 322+; pusilla, 332+
Blepharoplast anatomy (Riccia), 391+*
Blepharostoma trichophyllum, 728+
Blindia acuta, 262+
Boreal forest (Québec), 725+
BOUDREAULT, CATHERINE, SYLVIE GAUTHIER and YVES BERGERON. Epiphytic Lichens and Bryophytes on Populus tremuloides Along a Chronosequence in the Southwestern Boreal Forest of Quebec, Canada, 725+
Boulder habitats (bryophytes), 748+
Bourgeanic acid (Neofuscelia), 573
Brachytheciaceae, 781+
Brachythecium acuminatum, 749+
Brachythecium albicans, 728+; austro-glareosum, 777; calcareum, 728+; campestre, 728+; laetum, 777; plumosum, 244+, 777; ratubulum, 229+; reflexum, 728+; rutabulum, 728+; salebrosum, 229+, 244+, 728+, 777; velutinum, 728+
Branching (Hypnidae), 785
Brazil (Lecanora spp.), 139+
BREUSS, OTHMAR. New Taxa of Pyrenocarpous Lichens from the Sonoran Region, 705+
Breutelia scoparia, 244+, 777
British Columbia (cyanolichen distribution), 28+
BRITTON, ELIZABETH GERTRUDE, 4+*
BRODO, IRWIN M., 23
BRODO, IRWIN M. Lichenology in the American Bryological and Lichenological Society—1899–1999, 15+
BRODO, IRWIN M. *See* HARRIS, RICHARD C., 790+
Brothera leana, 261+
Brotherella recurvans, 749+
Bruchia flexuosa, 147+*; sporophyte, 147+
Bryales, 774+
Bryhnia novae-angliae, 777
Bryidae, 224+
Bryobrittonia longipes, 188+, 216+, 227+
Bryochenea syn. nov., *509+*; **ciliata syn. nov.**, *511*; sachalinensis, *513*
Bryological publications by W. Hofmeister, 89
Bryologist, The, 3+
Bryonoguchia, 512+
Bryophyte fragments, 592+
Bryophyte genes, 44+
Bryophytes (Colonization), 663+
Bryopsida (Mosses), 185+
Bryoria, 420+; capillaris, 31+; friabilis, 420+; furcellata, 728+; fuscescens, 31+; olive species, 420+; pseudofuscescens, 420+; sp., 460+
Bryoris fuscescens, 420+
Bryoxiphium norvegicum, 217+, 260+
Bryum billardieri, 228+; capillare, 228+; sp., 595
Bryum (West Indies), 82
BUCK, WILLIAM R., 13
BUCK, WILLIAM R. and EMMANUËL SÉRUSIAUX. Gyalectidium yahriae, sp. nov. (Lichenized Ascomycetes, Gomphillaceae) from Florida and Papua New Guinea, 134+
BUCK, WILLIAM R., BERNARD GOFFINET and A. JONATHAN SHAW. Novel Relationships in Pleurocarpous Mosses as Revealed by cpDNA Sequences, 774+
BUCK, WILLIAM R., RONALD A. PURSELL, BARBARA M. THIERS, and BRUCE ALLEN. Recent Literature on Bryophytes—103(2), 397+
BUCK, WILLIAM R. *See* ALLEN, BRUCE, 168+
BUCK, WILLIAM R. *See* LUNA, EFRAÍN DE, 242+
BUCK, WILLIAM R. *See* PURSELL, RONALD A., 610+
BUCK, WILLIAM R. *See* THIERS, BARBARA M., 806+
Buellia erubescens, 420+; muriformis, 420+; straminea, 647+
Buxbaumia aphylla, 188+; sp., 461+

Calcium (bark), 33
Calicium glaucellum, 420+; salicinum, 431+
Callicladium haldanianum, 728+
Callicostella (West Indies), 82
Calliergon stramineum, 595
Calocedrus decurrens, 121
Caloplaca cerina, 647+, 728+; ferruginea, 431+; holocarpa, 728+
Caloplaca microphyllina, 431+
Calymperaceae (Leaf dimorphism), 534+
Calymperes (West Indies), 82
Calymperes aeruginosum, 535+*; afzeli, 260+; couguiense, 535+*; porrectum, 535+; smithii, 535+; subintegrum, 535+*; tahitense, 260+; tuamotuense, 260+; venezuelanum, 145+
Campylium chrysophyllum, 777; hispidulum, 461+, hispidulum, 728+
Campylopus (West Indies), 82
Campylopus areodictyon, 261+; argyrocaulon, 261+; atrovirens, 261+; eberhardtii, 261+; umbellatus, 261+
Candelaria concolor, 420+
Candelariella vitellina, 728+
CANO, MARÍA J. *See* GALLEGO, M. TERESA, 375+
CANOCO software, 727+
Canomaculina subsumpta, 541+
Canopy (Nephroma occultum), 117+
Caperatic acid (Parmotrema), 545
Capsule development (Bruchia flexuosa), 147+*
Caribbean (mosses), 82+
Caribou lichens (montane forests), 456+
CAROTHERS, ZANE B. *See* RUSHING, ANN E., 390+
Catillaria, 420+
Cations (bark), 35
cDNA 3′-ends (Tortula ruralis), 44+
Central America (mosses), 82+
Cephalozia connivens, 461+; lunulifolia, 421+; sp., 595
Cephaloziella, 421+; rubella, 461+; sp., 461+, 595

Ceratodon purpureus, 128+, 461+, 595
Cetraria chlorophylla, 420+; cucullata, 450+; ericetorum, 460+; islandica, 460+; orbata, 420+
Cetrelia cetrarioides, 431+; chicitae, 541+; orientalis, 541+
Chaenotheca brunneola, 420+; chrysocephala, 431+
Chaenothecopsis pusilla, 420+
Chamaebryum pottioides, 216+
Checklist (Lichens, Izembek National Wildlife Refuge, Alaska), 379+
Cheilolejeunea gaoi sp. nov., 499+*; intertexa, 501; ocelloides, 501
China (Cololejeunea filicis), 90+
China (Sphaerotheciella koponenii sp. nov.), 739
Chloroatranorin (Lecanora spp.), 142+
Chloroplast DNA (Asterella), 625+
Chloroplast DNA (pleurocarpous mosses), 774+
Chloroplast DNA sequence data (moss), 242+
Chodatin (Lecanora xanthoplumosa), 143
Chrysotryx candelaris, 431+
cis-Acting elements (Tortula ruralis), 45+
Clades, 195+
Clades (Marchantiopsida), 631+*
Clades (Trebouxia spp.), 647+
Cladina mitis, 457+, 460+; rangiferina, 457+, 460+, 563+; stellaris, 457+, 460+; uncialis, 563+
Cladistic analysis (moss), 242+
Cladonia, 420+; botrytes, 460+; cariosa, 460+; carneola, 420+, 460+; cenotea, 460+; cervicornis, 460+; chlorophaea, 460+, 728+; coccifera, 460+; coniocraea, 460+, 728+; cornuta, 460+; crispata, 460+; deformis, 460+; ecmocyna, 460+; fimbriata, 420+, 460+; furcata, 460+; gracilis, 460+; macilenta, 420+; multiformis, 460+; ochrochlora, 420+; pleurota, 460+; pyxidata, 460+; sp., 431+, 460+, 728+; species, 663+; squamosa var. squamosa, 420+; squamosa var. subsquamosa, 420+; sulphurina, 460+; transcendens, 420+; uncialis, 457+
Cladoniaceae Americanae Exsiccatae, 182
Claopodium, 512+
Clasmatodon parvulus, 777
Classification (Sphagnum sections), 304
Clearcut (epiphyte colonization), 662+
Cleistocarpous mosses, 147+
Climacium americanum, 244+, 777; dendroides, 244+
Clute, Williard N., 6+
Cobble Knob (Nephroma occultum), 118+m
Coccocarpia erythroxyli, 671
Coccocarpiaceae, 110
Colensoic acid (Neofuscelia), 585
Coleochaete scutata, 332+
Collema furfuraceum, 31+; luridum, *692*; subflaccidum, 728+
Cololejeunea bosseriana, 91; filicis, 90+*m; horikawana, 91
Cololejeunea (Lasiolejeunea) pocsii, *90*
Common, Ralph, 23
Community composition (epiphytes), 727+
Competitive relationships (bryophytes), 749+
Confluentic acid (Lecanora notatica), 142
Connorstictic acid (Neofuscelia), 572
Conocephalum conicum, 627+
Conservation (Nephroma occultum), 117+
Constipatic acid (Lecanora lichexanthona), 139
Continentality index, 749
Corsinia, 322+; coriandrina, 332+
Cortical substances (Parmotrema), 545
COSTA, DENISE PINHEIRO DA and STEPHAN ROBBERT GRADSTEIN. On the Status of Metzgeria angusta, a Poorly Known Neotropical Taxon, 757+
Costa (Hypnidae), 776+
COVE, DAVID J. *See* WOOD, ANDREW J., 128+
Cover (bryophyte and macro-lichen), 455+
Cover (epiphytes), 730+
COX, CYMON, BERNARD GOFFINET, ANGELA E. NEWTON, A. JONATHAN SHAW, and TERRY A. J. HEDDERSON. Phylogenetic Relationships among the Diplolepideous-alternate Mosses (Bryidae) Inferred from Nuclear and Chloroplast DNA Sequences, 224+
COX, CYMON J. *See* GOFFINET, BERNARD, 212+
COX, CYMON J. *See* NEWTON, ANGELA E., 187+
cpDNA (Asterella), 625+
cpDNA sequences (pleurocarpous mosses), 774+
CRANDALL-STOTLER, BARBARA, 11
Cratoneuron, 512+
CRISP, MICHAEL D. *See* LOUWHOFF, SIMONE H. J. J., 541+
Crosby Bryophyte Herbarium, 182
CROSBY, MARSHALL, 10
CROSBY, MARSHALL R., 182
Crossomitrium rotundifolium, 777
CRUM, HOWARD, 12
Cryphaea glomerata, 245+, 777; sinensis, 245+
Cryptomitrium tenerum, 332+, 627+
Cryptostictic acid (Neofuscelia), 575
Ctenidium malacodes, 244+, 777; molluscum, 244+
Cuba (mosses), 82+
CULBERSON, CHICITA, 22+*
CULBERSON, WILLIAM LOUIS, 12, 22+*
CULBERSON, WILLIAM LOUIS. [Review of:] Mattson, Jan-Eric, Mats Wedin, and Inga Hedberg (eds.). Swedish Lichenology, 414+
CULBERSON, WILLIAM LOUIS. [Review of:] Nordic Lichen Society. Nordic Lichen Flora, Volume 1—Introductory Parts, Calicioid Lichens and Fungi, 414+
Culbersonia americana gen. et sp. nov., 771+*
CUMMINGS, CLARA E., 15+*
Curviramea mexicana, 777
Cyanolichen distribution, 28+
Cyanolichens (Colonization), 663+
Cyanophilic lichens (Spilonemella spp.), 108+
Cynodontium jenneri, 261+; sp., 595
Cyphelium inquinans, 420+
Cyrto-hypnum, 509+; brachythecium, 511; lepidoziaceum, *511*; vestitissimum, 511

Dactylina arctica, 460+
DALY, BILL. *See* PECK, JERILYNN E., 449+
Dawsonia papuana, 188+
DE LUNA, EFRAÍN, WILLIAM R. BUCK, HIROYUKI AKIYAMA, TOMOTSUGU ARIKAWA, HIROMI TSUBOTA, DELORES GONZÁLEZ, ANGELA E. NEWTON, and A. JONATHAN SHAW. Ordinal Phylogeny Within the Hynobryalean Pleurocarpous Mosses Inferred from Cladistic Analyses of Three Chloroplast DNA Sequence Data Sets: trnL-F, rps4, and rbcL, 242+
Degelia, 671+; plumbea, 671*
DELGADILLO M., CLAUDIO. Mosses and the Caribbean Connection between North and South America, 82+
DELGADILLO M., CLAUDIO. The Distinction between Grimmia mexicana and G. ochyriana, 762+
Demethylchodatin (Lecanora xanthoplumosa), 143
Dendroalsia, 322+; abietina, 332+, 721+
Dendrogram (epiphytes), 424+
DEPRIEST, PAULA, 23
Depsides, 713+*
Depsidones, 713+*
Dermatocarpon miniatum, 460+
DEY, JONATHAN, 23

DIBBEN, MARTYN, 23
Dicnemon calycinum, 260+
Dicranella (West Indies), 82
Dicranella heteromalla, 261+, 595
Dicranodontium denudatum, 261+; pulchroalare, 261+
Dicranoweisia cirrata, 261+, 721+
Dicranum acutifolium, 461+; brevifolium, 461+; condensatum, 261+; elongatum, 595; flagellare, 461+, 728+; fulvum, 749+; fuscescens, 421+, 461+, 595, 728+; montanum, 728+, 749+; muehlenbeckii, 261+, 461+; ontariense, 728+; polysetum, 461+, 728+; scoparium, 189+, 261+, 461+, 749+; sp., 595; spadiceum, 461+; tauricum, 421+; undulatum, 461+, 595
Dictyonema glabratum, 431+
Didymodon sp., 722+
Diffractaic acid complex (Parmotrema), 545
Dimerella pineti, 728+
Diphyscium foliosum, 188+, 216+, 227+
Diplolepideous-alternate mosses, 224+
Diploschistes diacapsis, 647+
Discelium nudum, 216+
Dispersal (Lobaria oregana), 661+
Distribution (mosses), 82+
Distribution (Trebouxia), 659
Ditrichum flexicaule, 261+; pallidum, 261+; sp., 595
Divaricatic acid (Neofuscelia), 587
Diversity (bryophyte and macro-lichen), 455+
Diversity (Caribbean mosses), 82+
Diversity (epiphytes), 727+
Diversity, alpha, beta, gamma (bryophytes and lichens), 465
DIX, WILLIAM LEROY, 19+
DNA extraction, 192
DNA extraction (Marchantiopsida), 629+
DNA extraction (moss), 214, 230
DNA extraction (Trebouxia), 646
DNA extraction, amplification, sequencing (Peltigera), 493+
DNA sequence data (moss), 230
DNA sequences (chloroplast and nuclear, Sphagnopsida), 277+
DNA, nuclear and chloroplast, 224+
DODGE, CARROLL W., 19+*
Dominican Republic (mosses), 82+
Douglas-fir forest canopies, 661+
Drepanocladus uncinatus, 461+, 728+
Dripzone effect, 28+
DRISCOLL, MELANIE J. L. *See* KIMMERER, ROBIN WALL, 748+
Drummondia obtusifolia, 189+, 216+, 227+; prorepens, 189+
DUCKETT, JEFFREY G. *See* NEWTON, ANGELA E., 187+
DUFF, R. JOEL. *See* WOOD, ANDREW J., 44+

Echinocarpic acid (Parmotrema), 545
Echinodium umbrosum, 777; var. glaucoviride, 244+
Echinophyllum gen. nov., 509+; **sachalinensis com. nov.**, 513+*
Ecology (Nephroma occultum), 117+m
EGAN, ROBERT, 23
Element concentrations (Rhynchostegium), 518+
ELIX, JOHN A. *See* GUDERLEY, ROLAND, 139+
Encalypta armata, 216+; ciliata, 216+; rhaocarpa, 216+, 227+; rhaptocarpa, 188+
Endostomial crosswalls (Hookeriales), 776+
ENGEL, JOHN, 23
Enrichment ratios (Rhynchostegium), 518+
Entodon brevisetus, 244+, 777; rubicundus, 244+
Entodontopsis leucostega, 245+, 777
Entosthodon bonplandii, 216+; laevus, 216+
Ephemerum spinulosum, 216+
Epiphyte colonization, 661+
Epiphyte habitats (Washington), 417+
Epiphyte vertical distribution, 119+
Epiphytic community structure, 30+
Epiphytic lichens, 28+
Epiphytic lichens and bryophytes (Populus tremuloides), 725+
Erioderma, 670+; mollissimum, 672+*; pedicellatum, 674+*; sorediatum, 674+*; wrightii, 672
Eriodermin (Erioderma pedicellatum), 674
Eriodermin (Erioderma sorediatum), 674
ESSLINGER, THEODORE, 23
ESSLINGER, THEODORE L. Culbersonia americana, a Rare New Lichen (Ascomycota) from Western America, 771+
ESSLINGER, THEODORE L. Notes on the Brown-colored Species of Parmeliaceae (Lichenized Ascomycota) in Southern Africa, 568+
ESSLINGER, THEODORE L. Recent Literature on Lichens—176, 156+
ESSLINGER, THEODORE L. Recent Literature on Lichens—177, 406+
ESSLINGER, THEODORE L. Recent Literature on Lichens—178, 601+
ESSLINGER, THEODORE L. Recent Literature on Lichens—179, 816+
Esslingeriana idahoensis, 31+, 420+
ESTÉBANEZ, BELÉN. *See* ALFAYATE, CARMEN, 467+
Eucamptodon muelleri, 260+
Eulacophyllum cultelliforme, 70
Eumitrin derivatives (Parmotrema), 545
Euplectin (Parmotrema), 545
Eurhynchium pulchellum, 728+
EVANS, ALEXANDER, 9+
EVANS, ALEXANDER W., 15+*
Evansia, 13
Evernia mesomorpha, 728+
Everniastrum neocirrhatum, 431+, 439; pseudonepalense, 431+; soroicheilum, 431+; vexans, 431+
Evernic acid, 714*
Evolution (moss lineages), 187+
Evolutionary biology, 185+
Exemplar species (moss), 242+
Exemplars, 191
Exodictyon incrassatum, 260+
Exostratum blumei, 260+
Expressed sequence tags (mosses), 129+
Expressed sequence tags (Tortula ruralis), 45+
Extreme leaf dimorphism (Calymperaceae), 534+

FAHSELT, DIANNE. *See* BEGORA, MICHAEL D., 563+
Far-upstream elements (Tortula ruralis), 45+
Fatty acids (Fuscopannaria spp.), 677+
Fatty acids (Parmotrema), 545
Feather mosses (montane forests), 456+
Fern Bulletin, 6
FINK, BRUCE, 15+*
Fire (Epiphytes), 725+
Fissidens (West Indies), 82
Fissidens dubius, 261+; philonotulus, 261+; subbasilaris, 217+, 261+
FLATBERG, KJELL I. *See* STENØIEN, HANS KRISTEN, 794+
FLATBERG, KJELL I. *See* HANSSEN, LILLIAN, 93+
Flavocetraria cucullata, 457+; nivalis, 457+
Flavoparmelia caperata, 431+, 541+, 647+; rutidota, 541+; subrudecta, 647+
Flavopunctelia flaventior, 431+; praesignis, 431+
FLENNIKEN, DON G. The Macrolichens in West Virginia [review], 831

Florida (Gyalectidium yahriae), 134
Fontinalis antipyretica, 189+, 229+; dalecarlica, 244+, 777
FORD, JESSE. *See* PECK, JERILYNN E., 449+
Forest continuity, 726+
Forsstroemia trichomitria, 245+, 777
FOS, SIMÓN. Líquenes Epífitos de los Alcornocales Ibéricos: Correlaciones bioclimáticas, anatómicas, y densimétricas con el corcho de reproducción [review], 180
Fossombronia, 322+
Fossombronia foveolata, 332+
FRAHM, JAN-PETER. Invited Review, Great Discoveries in Bryology and Lichenology: The Discovery of the Life Cycle of Bryophytes by Wilhelm Hofmeister (1824–1877), 87+
Frullania eboracensis, 728+; tamarisci spp. nisquallensis, 421+
FRYDAY, ALAN. [Review of:] Goward, Trevor. The Lichens of British Columbia. Illustrated Keys. Part 2—Fruticose Species, 413
FRYE, T. C., 8
FULFORD, MARGARET, 10, 183
Fumarprotocetraric acid, 563+
Fumarprotocetraric acid (Lecanora), 479+
Fumarprotocetraric acid (Neofuscelia), 577
Funaria apophysata, 216+; hygrometrica, 128+, 188+, 216+, 227+, 260+
Funariineae, 212+
Fuscopannaria, 671+
Fuscopannaria ahlneri, 106, 673+*; **alaskana sp. nov.**, 675+*; **aurita sp. nov.**, 675+*; californica, 675+*; cheiroloba, 675+*; coerulescens, 688; **coerulescens sp. nov.**, 104+*; confusa, 107, 675+*; **coralloidea sp. nov.**, 675+*; **crustacea sp. nov.**, 675+*; cyanolepra, 675+*; **cyanolepra comb. nov.**, 106; granulans, 107; hookerioides, 675+*; incisa, 675+*; laceratula, 675+*; **leprosa sp. nov.**, 671+*; leucophaea, 675+*; leucosticta, 104+, 675+*; leucostictoides, 675+*; maritima, 675+*; mediterranea, 106, 675+*; olivacea, 686; pacifica, 675+*; praetermissa, 675+*; praetermissa forma, 107; protensa, 677+; pulveracea, 106, 675+*; ramulina, 675+*; sampaiana, 107; saubinettii, 675+*; sorediata, 675+*; **sorediata sp. nov.**, 105+*; thiersii, 675+*

GALLEGO, M. TERESA, JUAN GUERRA, MARÍA J. CANO, ROSA M. ROS and M. CARMEN SÁNCHEZ-MOYA. The Status and Distribution of Syntrichia virescens var. minor (Pottiaceae), 375+
Gap colonizing species (mosses), 749+
GARCÍA, ANGEL ZAMBRANO, THOMAS H. NASH III, and MARÍA ANGELES HERRERA-CAMPOS. Lichen decline in Desierto de la Leones (Mexico City), 428+
GARCÍA-ÁLVARO, M. ANGÉLICA, JAVIER MARTÍNEZ-ABAIGAR, ENCARNACIÓN NÚÑEZ-OLIVERA, and NATHALIE BEAUCOURT. Element Concentrations and Enrichment Ratios in the Aquatic Moss Rhynchostegium riparioides along the River Iregua (La Rioja, Northern Spain), 518+
Garovaglia elegans, 777
Garovagliaceae, 776+
GAUTHIER, SYLVIE. *See* BOUDREAULT, CATHERINE, 725+
Gemmae formation and moss grazing, 723+
GenBank accession numbers, 188+
Gene inactivation, 130+*
Genetic divergence (Sphagnum spp.), 100+
Genetic variability (Sphagnum troendelagicum), 794+
Genetic variation (Sphagnum spp.), 93+
Genome sampling and alignment, 258
Genomic regions (Sphagnum), 284
Geography (Asterella and Reboulia), 637+
Gigaspermum repens, 216+
GIGNAC, L. DENNIS. *See* HALSEY, LINDA A., 334+
Glomelliferonic acid (Neofuscelia), 585
Glossadelphus abortivapicus, *62*
Glyphothecium sciuriodes, 777
GOFFINET, BERNARD and CYMON J. COX. Phylogenetic Relationships Among Basal-most Arthrodontous Mosses with Special Emphasis on the Evolutionary Significance of the Funariineae, 212+
GOFFINET, BERNARD and TERRY A. J. HEDDERSON. Evolutionary biology of the Bryopsida (Mosses): A Synthesis—Introductory Comments, 185+
GOFFINET, BERNARD. *See* BUCK, WILLIAM R., 774+
GOFFINET, BERNARD. *See* COX, CYMON J., 224+
GOFFINET, BERNARD. *See* GOWARD, TREVOR, 493+
GOFFINET, BERNARD. *See* NEWTON, ANGELA E., 187+
GOFFINET, BERNARD. *See* SHAW, A. JONATHAN, 357+
Gomphillaceae, 137
Goniomitrium acuminatum, 216+
GONZÁLEZ, DOLORES. *See* LUNA, EFRÍN DE, 242+
GOWAN, SHARON, 23
GOWARD, TREVOR. The Lichens of British Columbia. Illustrated Keys. Part 2—Fruticose Species [Review], 413
GOWARD, TREVOR and ANDRÉ ARSENAULT. Cyanolichen Distribution in Young, Unmanaged Forests: A Drip-zone Effect?, 28+
GOWARD, TREVOR and BERNARD GOFFINET. Peltigera chionophila, a New Lichen (Ascomycetes) from the Western Cordillera of North America, 493+
GOWARD, TREVOR. *See* SCHOFIELD, WILFRED B., 181
GRADSTEIN, STEPHAN ROBBERT. *See* COSTA, DENISE PINHEIRO DA, 757+
Graphina confluens, 431+
Grazing (mosses), 722+
Great Discoveries in Bryology and Lichenology (Simon Schwendener), 307+
Great Discoveries in Bryology and Lichenology, 442+
Green Plant Phylogeny Research Coordination Group (GPPRCG), 185
GREVEN, HENK C. Grimmia herzogii, a Misunderstood South American Endemic, 760+
Grimmia donniana, 595; herzogii, 760+; longirostris, 760+; mexicana, 762+*; nigella, 760+; ochyriana, 762+*; pulvinata, 261+; sp., 595; trollii, *760*
Grimmiaceae, 595
GROLLE, RICLEF. *See* ZHU, RUI-LIANG, 499+
Ground searches (canopy lichens), 118+
GROUT, A. J., 20*
GROUT, ABEL JOEL, 4+*
Guangxi (China), 499+
GUDERLEY, ROLAND, H. THORSTEN LUMBSCH and JOHN A. ELIX. Four New Species of Lecanora sensu stricto (Lecanorales, Ascomycotina) from Tropical South America, 139+
GUERRA, JUAN. *See* GALLEGO, M. TERESA, 375+
Gyalectidium eskuchei, 137; setiferum, 137; **yahriae sp. nov.**, 134+*
Gyalideopsis vainioi, 137
Gymnocolea inflata, 595
Gymnostomum aeruginosum, 595
Gyrophoric acid, 545, 563+, 711+*
Gyrophoric acid (Neofuscelia), 577

Haematomma ochroleucum var ochroleucum, 793
Haiti (mosses), 82+
HALE, MASON E., JR., 21+*
HALONEN, PEKKA. Usnea pacificana, sp. nov. and U. was-

muthii (Lichenized Ascomycetes) in Pacific North America, 38+
HALSEY, LINDA A., DALE H. VITT, and L. DENNIS GIGNAC. Sphagnum-dominated Peatlands in North America Since the Last Glacial Maximum: Their Occurrence and Extent, 334+
HANSSEN, LILLIAN, SIGURD M. SÅSTAD, and KJELL I. FLATBERG. Population Structure and Taxonomy of Sphagnum cuspidatum and S. viride, 93+
Haplocladium virginiatum, 777
Haplocladium, 512+
Haplohymenium pseudotriste, 244+; triste, 777
Haplolepideous mosses, 257+
Haplomitrium hookeri, 188+
HARADA, HIROSHI. Three New Maritime Species of Verrucaria (Lichenized Ascomycota, Verrucariaceae) from Japan, 555+
Harpanthus sp., 728+
Harpidium nashii sp. nov., 802+*m; rutilans, 802+*
HARRIS, CAROLYN W., 15+*
HARRIS, RICHARD, 23
HARRIS, RICHARD C., IRWIN M. BRODO and TOR TØNSBERG. Lecanora thysanophora, Common Leprose Lichen in Eastern North America, 790+
HASSE, HERMAN, 18+*
HE, SI and JERRY A. SNIDER. A Taxonomic Revision of Symphyodon (Musci: Symphyodontaceae), 52+
HEDDERSON, TERRY A. J. *See* GOFFINET, BERNARD, 185+
HEDDERSON, TERRY A. J. *See* NEWTON, ANGELA E., 187+
HEDDERSON, TERRY A. J. *See* COX, CYMON J., 224+
Hedwigia ciliata, 189+, 227+, 749+
Helicodontium capillare, 245+, 777
Helodium, 512+; sachalinense, *513*
Henicodium geniculatum, 777
HENSSEN, AINO and TOR TØNSBERG. Spilonemella, a New Genus of Cyanophilic Lichens with Species from North America and Japan (Coccocarpiaceae), 108+
HERRE, ALBERT W. C. T., 19+*
HERRERA-CAMPOS, MARÍA ANGELES. *See* GARCÍA, ANGEL ZAMBRANO, 428+
Heterodermia hypoleuca, 431+; japonica, 431+; leucomela, 431+
HILL, ROBERT J. [Review of:] Flenniken, Don G. The Macrolichens in West Virginia, 831
Hispaniola (mosses), 82+
HOFMEISTER, WILHELM, 87
Holomitrium vaginatum, 261+
HOLZINGER, JOHN M., 8
Homalia ankaratrensis, *62*; pygmaea, *61*; pygmaea var. elongata, *61*
Homalotheciella subcapillata, 777
Homalothecium fulgescens, 721+; nuttallii, 721+
Homologous recombination, 129+
Homoplasy (Asterella), 638
HONEGGER, ROSMARIE. Simon Schwendener (1829–1919) and the Dual Hypothesis of Lichens, 307+
Hookeria acutifolia, 189+, 229+, 245+, 777; lucens, 189+, 229+
Hookeriales, 774+
HORTON, DIANA. *See* O'BRIEN, TERRY J., 509+
HOWARD, GRACE, 21+
HOWE, REGINALD HEBER, 19+
HPLC (High performance liquid chromatography), 563+
Hunan Province (Sphaerotheciella koponenii sp. nov.), 739
Hybocarpone (Lecanora lichexanthona), 139
Hygroamblystegium tenax, 244+, 777
Hylocomiastrum, 512+; pyrenaicum, 595
Hylocomiastrum, 51 2+;
Hylocomiopsis, 512+
Hylocomium splendens, 457+, 461+, 728+, 749+
Hyphophores (Gyalectidium yahriae, sp. nov.), 134+*
Hypnales, 774+
Hypnidae, 775+
Hypnobryalean pleurocarpous mosses, 242+
Hypnodendron dendroides, 189+, 228+; menziesii, 189+, 228+
Hypnum circinale, 421+; imponens, 749+, 777; lindbergi, 189+; lindbergii, 229+, 244+, 777; pallescens, 728+, 749+
Hypocenomyce friesii, 420+
Hypoconstictic acid (Neofuscelia), 569
Hypogymnia apinnata, 420+; austerodes, 31+; enteromorpha, 420+; imshaugii, 31+, 420+; inactiva, 420+; metaphysodes, 31+, 420+; occidentalis, 31+; oceanica, 420+; physodes, 31+, 420+, 460+, 728+; tubulosa, 31+, 420+
Hypoprotocetraric acid (Lecanora rabdotoides), 142
Hypoprotocetraric acid (Neofuscelia), 569
Hypopterygerium tamarisci, 777
Hypopterygiaceae, 776+
Hypopterygium tamarisci, 229+, 245+
Hyposalazinic acid (Neofuscelia), 570
Hypostictic acid (Neofuscelia), 569
Hypotrachyna densirhizinata, 431+; pulvinata, 431+

ICAP spectrometry, 30
Icmadophila ericetorum, 420+, 460+
IMSHAUG, HENRY, 21+*
Imshaugia placorodia, 647+
Institute of Botany (Ufa), 765
International Association for Lichenology, 17
International Botanical Congress, 17
International Mycological Congress, 17
Island biogeography theory (bryophytes), 748+
Isopterygium machrisianum, *67*; tenerum, 244+, 777
Isothecium myosuroides, 421+, 467+*, 665
Isousnic acid (Lecanora), 481+
Isozymes (Sphagnum spp.), 93+
ITS (Trebouxia), 646
Izembek National Wildlife Refuge (Alaska), 379+m

Jamaica (mosses), 82+
JAMES, T. P., 3
Japan (Spilonemella), 108+
Japan (Verrucaria), 555+
Japewia subaurifera, 420+; tornoënsis, 420+
JENNINGS, O. E., 9
JOHANNES, KIRSTEN. *See* LA FARGE, CATHERINE, 257+
JONES, JOYCE HEDRICK, 19
JØRGENSEN, PER M. On the Sorediate Counterparts of the Lichen Fuscopannaria leucosticta, 104+
JØRGENSEN, PER M. Survey of the Lichen Family Pannariaceae in the American Continent, North of Mexico, 670+
Jungermannia gracillima, 728+

KAISER, G. B., 11
Key (Lecanora varia group sensu lato), 476+
Key to Described Sorediate Fuscopannaria Species, 107
Key to Genera (Pannariaceae), 670
Key to Species (Fuscopannaria), 675
Key to Species (Pannaria), 690+
Key to Species (Parmeliella), 696
Key to Species (Psoroma), 700
Key to Species (Santessoniella), 702
Key to Species of the Genus Sphaerotheciella, 741
Key to the Species (Erioderma), 672
Key to the species of Symphyodon, 55+

Key to the species of Usnea similar or related to U. pacificana, 38
Kiaeria blyttii, 261+, 595
KIMMERER, ROBIN WALL and MELANIE J. L. DRISCOLL. Bryophyte Species Richness on Insular Boulder Habitats: The Effect of Area, Isolation, and Microsite Diversity, 748+
KLINKA, KAREL. *See* QIAN, HONG, 181
KONDRATYUK, SERGEY. Alfred M. Oxner's Contribution to Lichenology, 765+
KROKEN SCOTT and JOHN W. TAYLOR. Phylogenetic Species, Reproductive Mode, and Specificity of the Green Alga Trebouxia Forming Lichens with the Fungal Genus Letharia, 645+

LA FARGE, CATHERINE, BRENT D. MISHLER, JOHN A. WHEELER, DENNIS P. WALL, KIRSTEN JOHANNES, STEFFAN SCHAFFER, and A. JONATHAN SHAW. Phylogenetic Relationships Within the Haplolepideous Mosses, 257+
Lake Duparquet area, 726+
LAMB, IVAN MACKENZIE, 23*
Large-scale DNA sequencing (bryophytes), 128+
LATMOSS, 82
LAWREY, JAMES, 23
LCUP1 (Lecanora), 479+
LCUP2 (Lecanora), 479+
LEBLANC, FABIUS, 17
Lecanora sensu stricto, 139+; subg. Placodium, 707; aff. symmicta, 420+; albella var. albella, 431+; allophana, 439, 728+; carpinea, 439; circumborealis, 420+; confusa, 477+; conizaeoides, 478+*; cupressi, 479+; expallens, 480+, 793; hageni, 647+; impudens, 728+; kalbiana, 143; **lichexanthona sp. nov.**, 139+*m; miculata, 141; mughicola, 482; **notatica sp. nov.**, 140+*m; orae-frigidae, 481+; piniperda, 481+, 728+; plumosa, 143; polytropa group, 491; rabdota, 142; **rabdotoides sp. nov.**, 139+*m; rubina, 647+; saligna, 482+; sp. 1, 488+; sp. 2, 489+; sp. 3, 490+; sp. 4, 490+; sp. 5, 491+; strobilina, 483+*; subcrenulata, 142; subfusca group, 141+; subimmersa ssp. ramboldii, 143; symmicta, 484+, 728+; **thysanophora sp. nov.**, 790+*m; tropica, 143; varia, 431+; varia group, 420+, 475+; **varia subsp. densa subsp. nov.**, 486+*; **varia subsp. laxa subsp. nov.**, 487+*; varia subsp. varia, 485+*; **xanthoplumosa sp. nov.**, 139+*m
Lecanoric acid, 563+, 714*
Lecanoric acid (Parmotrema), 545
Lecidea enalla, 420+; lapicida, 647+; silacea, 647+; sp., 420+; triptophylla, *698*
Leciophysma, 702
Leioderma, 670+; sorediatum, 674+*
Lejeuneaceae (Cheilolejeunea), 499+
Lembophyllum divulsum, 245+, 777
Lepidopilium imbricatifolium, *67*; scabrifolia, 777; surinamense, 245+, 777
Lepidozia reptans, 461+
Lepraria, 420+; cf. incana, 431+
Leptobryum pyriforme, 189+, 217+, 228+, 244+, 777
Leptocolea filicis, *90*
Leptodon longisetus, 467+*
Leptogium azureum, 439; byssinum, 690; cf. denticulatum, 431+; corticola, 439; cyanescens, 431+; furfuraceum, 431+; hildebrandii, 439; phyllocarpum, 439; saturninum, 31+; teretiusculum, 114
Leptostomum macrocarpum, 228+, 777
Lepyrodon pseudolagurus, 777
Leskea gracilescens, 777
Leskeodon cubensis, 777
Lesquereux, Leo, 3
Lesser Antilles (mosses), 82+
Letharia, 645+; 'barbata,' 645+m; 'gracilis,' 645+m; 'lucida,' 645+m; 'lupina,' 645+m; 'rugosa,' 645+m; vulpina, 420+, 460+, 645+m
Leucobryum antillarum, 261+; sanctum, 261+; tahitense, 261+
Leucodon andrewsianum, 777; brachypus, 245+, 777; canariensis, 467+*; secundus, 245+
Leucolepsis menziesii, 228+
Leucoloma humbertii, 261+; rutenbergii, 261+; serrulatum, 261+
Leucomiaceae, 776+
Leucomium strumosum, 777
Leucophanes albescens, 260+; glaucum, 260+
LEY, LINDA M. and JOAN M. CROWE. An Enthusiasts Guide to the Liverworts and Hornworts of Ontario [Review], 415+
Lichen decline (Mexico City), 428+
Lichen hookeri, *692*; leucophaeus, *684*; pannosus, *696*; pezizoides, *699*; plumbeus, *671*; rubiginosus, *695*
Lichen metabolites, 710+*
Lichen secondary products, 563+
Lichen substances, 710+*
Lichenology, 15+
Lichens (Izembek National Wildlife Refuge, Alaska), 379+
Lichens, dual hypothesis, 307+
Lichexanthone (Lecanora lichexanthona), 139
Lichinodium, 114
Life cycle of bryophytes, 87+
Lividic acid complex (Parmotrema), 545
LLANO, GEORGE, 17+
Lobaria crenulata, 431+; hallii, 31+; mollissimum, *672*; oregana, 119+, 420+, 661+; oregana blue-green photomorph, 124; pulmonaria, 31+, 431+; scrobiculata, 31+; silvae-veteris, 124; subexornata, 431+
Lobaric acid, 714*
Lobaric acid (Parmelia), 590
Lobarion alliance, 28+
Loeskeobryum, 512+; brevirostre, 244+, 595, 777; cavifolium, 244+
LONG, DAVID G., MICHAEL MÖLLER and JILL PRESTON. Phylogenetic Relationships of Asterella (Aytoniaceae, Marchantiopsida) Inferred from Chloroplast DNA Sequences, 625+
Lopadium disciforme, 420+
Lophocolea heterophylla, 188+; sp., 728+
Lophozia guttulata, 461+; longidens, 461+; ventricosa, 461+
Lorentziella imbricata, 216+
LOUWHOFF, SIMONE H. J. J. and MICHAEL D. CRISP. Phylogenetic Analysis of Parmotrema (Parmeliaceae: Lichenized Ascomycotina), 541+
LOWE, JOSIAH, 21
LSP2 (Lecanora), 489
LUMBSCH, H. THORSTEN. *See* GUDERLEY, ROLAND, 139+
Lunularia, 322+; cruciata, 332+, 627+

MacClade, 192
Macromitrium (West Indies), 82
Macromitrium incurvifolium, 260+
Madagascar (Calymperes venezuelanum), 145+
MAGILL, RICHARD E., 13
Majority rule consensus tree (Parmotrema), 547
Management (Nephroma occultum), 125
Mannia californica, 627+; capensis, 627+
Marchantia, 322+; polymorpha, 188+, 332+, 627+
Marchantiales, 625+
Marchantioid liverwort radiation, 314+
Marsupella emarginata, 595

Martínez-Abaigar, Javier. *See* García-Álvaro, M. Angélica, 518+
Masonhalea richardsonii, 449+
Massalongia, 679
matK coding (Asterella), 627+
Mattson, Jan-Eric Mats Wedin, and Inga Hedberg (eds.). Swedish Lichenology [Review], 414+
McCune, Bruce, 23
McCune, Bruce, Roger Rosentreter, Jeanne M. Ponzetti, and David C. Shaw. Epiphyte Habitats in an Old Conifer Forest in Western Washington, U.S.A., 417+
McCune, Bruce. *See* Rosso, Abbey L., 117+m
McCune, Bruce. *See* Sillett, Stephen C., 661+
McCune, Bruce. *See* Peck, JeriLynn E., 449+
McDaniel, Stuart F. and Norton G. Miller. Winter Dispersal of Bryophyte Fragments in the Adirondack Mountains, New York, 592+
Meesia uliginosa, 228+
Melanelia elegantula, 420+; exasperatula, 420+; glabra, 647+; subaurifera, 31+, 728+; trabeculata, 31+
Merrifield, Kathy. Bryophytes on Isolated Quercus garryana Trunks in Urban and Agricultural Settings in the Willamette Valley, Oregon, 720+
Merrill, George K., 15+*
Metaneckera, 322+; menziesii, 332+, 721+
Meteoriaceae, 781+
Metzgeria albinea 757+*; albinea var. albinea, 757+*; **albinea var. angusta stat. nov.**, 757+*; angusta, *757*; angusta var. pectinata, *757*
Mexico (mosses), 82+
Mexico City (lichen decline), 428+m
Micarea erratica, 420+; melaena, 420+; misella, 420+; prasina, 420+; sp., 420+, 728+
Microchemical Publications by Y. Asahina, 718
Microcrystal test of lichen metabolites, 711+
Microhabitat (bryophytes), 749+
Mielichhoferia bryoides, 228+; elongata, 228+; macrocarpa, 228+
Migration (mosses), 82+
Miller, Norton G. *See* McDaniel, Stuart F., 592+
Mishler, Brent D. *See* Shaw, A. Jonathan, 147+
Mishler, Brent D. *See* La Farge, Catherine, 257+
Mishler, Brent. *See* Newton, Angela E., 187+
Missouri Botanical Garden, 182
Mitthyridium constrictum, 260+; junquilianum, 260+; obtusifolium, 260+
Mniaceae, 595
Mnium (=Plagiomnium) cuspidatum, 244+, 260+; hornum, 189+, 228+, 244+, 260+, 777; spinulosum, 728+; thomsonii, 189+, 228+
Model systems (bryophytes), 128+
Moelleropsis, 670+; nebulosa, 682; nebulosa ssp. frullaniae, 690; nebulosa ssp. nebulosa, 689+*
Moisture availability (bryophytes), 722+
Molecular architecture (bryophyte genes), 44+
Möller, Michael. *See* Long, David G., 625+
Monoclea, 322+; gottschei, 332+
Monophyly (Aytoniaceae), 627+
Montane forests (western Canada), 455+
Morphology (moss), 187+
Moss Exchange, 183
Mosses (classification), 775+
Mount Baldy Wilderness, Arizona (Culbersonia americana), 773
Moxley, E. A., 11
Mozingo, Hugh, 21
mRNA 3′-ends (Tortula ruralis), 45+
Mueller, Dale, 13
Multiple Gene Sequences (moss), 187+
Mycoblastus sanguinarius, 420+
Myurium hochstetteri, 245+, 777

Nash III, Thomas H. *See* García, Angel Zambrano, 428+
Near-upstream elements (Tortula ruralis), 45+
Nearing, Guy, 20+*
Neckera angusta, *58*; cephalonica, 467+*; douglasii, 721+, 421+; intermedia, 467+*; pennata, 245+, 777; pygmaea, *62*; urnigera, 245+
Neckeraceae, 781+
Neckeropsis disticha, 777
Neighbor joining tree (Sphagnum), 360
Neighbor-joining analysis (Peltigera), 495
Neofuscelia adamantea, 568+; almbornii, *584*; **arrecta sp. nov.**, 569+*; atroviridis, 570; cafferensis, 570; caliginosa, 570+; ceresella, 571; conturbata, 571; crustulosa, 571+; dregeana, 572; esterhuyseniae, 572; fissurina, 573; follmannii, 573; glabrans, 573; imitatrix, 573; incomposita, 573+; lagunebergensis, 574; **lapidula sp. nov.**, 574+*; lichinoidea, 575; loriloba, 575; manina, *577*; **mehalei sp. nov.**, 575+*; namaensis, *572*; namibiensis, 576; nautilomontana, 576; nonreagans, 577; norincomposita, *572*; parilis, 577; parviloba, 577; princeps, *590*; **pseudepheboides sp. nov.**, 577+*; **pseudoglabrans sp. nov.**, 580*; **pseudopulla sp. nov.**, 581*; squamariata, 584+; subhosseana, 585; subincerta, 585; subsquamariata, 585; **substygioides sp. nov.**, 585+*; suimitatrix, 585; tentaculina, 587; trachythallina, 587; verisidiosa, 587; vernicosa, *589*; verrucella, 587; **waboombergensis sp. nov.**, 588*
Neorutenbergia usagarae, 777
Neoteny (Bruchia), 153
Nephroma arcticum, 460+; bellum, 31+; expallidum, 460+; helveticum, 31+; isidiosum, 31+; occultum, 117+m, 421+; parile, 31+, 673; resupinatum, 31+; silvae-veteris, 124
New Frontiers in Bryology and Lichenology, 503+
Newton, Angela E. *See* Cox, Cymon J., 224+
Newton, Angela E. *See* De Luna, Efraín, 242+
Newton, Angela E., Cymon J. Cox, Jeffrey G. Duckett, John A. Wheeler, Bernard Goffinet, Terry A. J. Hedderson, and Brent D. Mishler. Evolution of the Major Moss Lineages: Phylogenetic Analyses Based on Multiple Gene Sequences, 187+
Nodobryoria oregana, 421+
Nord Trøndelag County, Norway (Sphagnum troendelagicum), 794+
Nordic Lichen Society. Nordic Lichen Flora, Volume 1—Introductory Parts, Calicioid Lichens and Fungi. [Review], 414+
Norlichexanthone (Lecanora lichexanthona), 139
Norlobaridone (Neofuscelia), 572
Norstictic acid, 563+
Norstictic acid (Neofuscelia), 572
Norstictic acid complex (Parmotrema), 545
North America (**Harpidium nashii sp. nov.**), 802
North America (Lecanora varia group), 475+
North America (mosses), 82+
North America (Pannariaceae), 670+
North America (Sphagnum-dominated peatlands), 334+
North America (Spilonemella), 108+m
North America, Eastern (Lecanora thysanophora sp. nov.), 790+m
Northwest Forest Plan, 117+
Norway (Sphagnum troendelagicum), 794+
Notatic acid (Lecanora notatica), 142
Notothylas breutelli, 188+

NÚÑEZ-OLIVERA, ENCARNACIÓN. *See* GARCÍA-ÁLVARO, M. ANGÉLICA, 518+

O'BRIEN, TERRY J. and DIANA HORTON. Bryochena (Musci; Thuidiaceae) is Cyrto-hypnum (Thuidiaceae), but B. sachalinensis is Echinophyllum (Thidiaceae), a New Genus from the Pacific Rim, 509+
Ochrolechia gowardii, 421+; juvenalis, 421+; mexicana, 431+; oregonensis, 421+; subpallescens, 421+; trochophora, 728+ Octoblepharum albidum, 260+
Oedipodium griffithianum, 188+
Oedipodium griffithianum protonema, 200+*
OHLSSON, KARL, 23
Old conifer forest (Washington), 417+
Old-growth forest (Nephroma occultum), 117+
Old-growth stands (Epiphyte colonization), 662+
OLIVER, MELVIN J. *See* WOOD, ANDREW J., 44+, 128+
Olivetoric acid (Neofuscelia), 570
Opegrapha sp., 431+
Ophioparma rubricosa, 421+
ORBÁN, SÁNDOR. Calymperes venezuelanum, a Newly Discovered American-African Disjunct Element in the Flora of Madagascar, 145+
Ordinal phylogeny (moss), 242+
Oregon (Willamette Valley bryophytes), 720+
Oregon white oaks (bryophytes), 720+
Oregon, western (Douglas-fir forest), 661
Oropogon imperforatus, 431+; loxensis, 431+; sperlingii, 431+
Orthodicranum dulvum, 261+
Orthodontium lineare, 228+
Orthostichopsis tetragona, 777
Orthotrichaceae, 779+
Orthotrichum lyelli, 189+, 216+, 227+, 260+; obtusifolium, 728+; pumilum, 260+
OXNER, ALFRED M. (1898–1973), 765+*
Oxymitria cristata, 332+; incrassata, 332+

Pacific North America, 38+
Pacific Northwest, North America (Nephroma occultum), 117+
Pacific rim (Thuidiaceae), 509+
Paedomorphic sporophyte development (Bruchia flexuosa), 147+*
Palustriella, 512+
Pannaria, 671+; ahlneri, *675*; arctophila, *702*; confusa, *681*; conoplea, 104, 677+*; crossophylla, *702*; cyanolepra, *106, 682*; dispartita, 695; elatior, 691+*; globuligera, 104; hookeri, 690+*; incisa, *682*; laceratula, *683*; leucostictoides, *684*; limbata, *104*; lurida ssp. lurida, 690+*; **lurida ssp. quercicola ssp. nov.**, 690+*; **lurida ssp. russellii comb. nov.**, 671+*; lurida, 104; malmei, 685+*; maritima, *685*; mediterranea, *686*; microphylla fo. californica, *679*; moseni, 698; pedicellata, *674*; pityrea sensu Degelius, *691*; praetermissa, *687*; prolifera, 698; pulveracea, *687*; rubiginosa, 671+*; stylophora, *698*; **subfusca sp. nov.**, 691+*; subg. Protopannaria, *699*; tavaresii, 691+*; vainii, 695; waghornei, *702*
Pannariaceae, 670+
Pannaric acid (Psoroma tenue var. boreale), 701
Pannarin (Pannaria spp.), 690+
Papillaria deppei, 245+; nigrescens, 245+, 777
Papua New Guinea (Gyalectidium yahriae), 134
Paraleucobryum enerve, 261+; longifolium, 261+, 749+
Paraparmelia **scabrosinita sp. nov.**, 588+*; **vernicosa comb. nov.**, 589+
Parmelia adamantea, *568*; barda, 590; conoplea, 691; conturbata, *571*; crustulosa, *571*; dregeana, *572*; fissurina, *573*; glabrans, *573*; hygrophila, 31+, 421+; imitatrix, *573*; incomposita, *573*; leucosticta, *684*; loriloba, *575*; manina, *577*; mariana, *696*; namaensis, *572*; nautilomontana, *576*; parviloba, *577*; perforata, 563+; princeps, 590; pristiloba, 590; pulla, 647+; putida, *590*; russellii, *694*; saubinetii, *688*; saxatilis, 421+; squamariata, *584*; subhosseana, *585*; subimitatrix, *585*; subincerta, 585; sulcata, 31+, 421+, 728+; tentaculina, *587*; trachythallina, *587*; vernicosa, *589*; verrucella, *587*; versidiosa, *587*
Parmeliaceae (Brown-colored species), 568+
Parmeliaceae, 541+
Parmeliella, 671+; **appalachensis sp. nov.**, 696+*; brisbanensis, 698; cheiroloba, *679*; corallinoides sensu Zahlbr. (1899), *698*; cyanolepra, 683; lepidiota var. corallophora, *681*; mariana, 696+*; mariana group, 671+; microphylla, *684*; pannosa, 696+*; parvula, 421+, 681+*; **stylophora comb. nov.**, 696+*; testacea, 696; triptophylla, 696+*
Parmelina carporrhizans, 647+
Parmeliopsis ambigua, 31+, 460+; hyperopta, 31+, 421+, 460+, 728+
Parmotrema, 541+; aldabrense, 541+; aptrootii, 541+; argentinum, 541+; austrosinense, 541+; conformatum, 541+; crinitum, 431+, 541+; cristiferum, 541+; crytoxanthum, 541+; dilatatum, 541+; dominicanum, 541+; elacinulatum, 541+; eurysacum, 431+; fasciculatum, 541+; gibberosum, 541+; grayanum, 541+; hypomiltoides, 541+; hypotropum, 541+; insuetum, 541+; judithae, 541+; kaisenikianum, 541+; kurokawianum, 541+; lambinonii, 541+; lambleyi, 541+; latissimum, 541+; lopezii, 541+; maclayanum, 541+; malonprotocetraricum, 541+; mellissii, 541+; menyamyaense, 541+; overeemii, 541+; pacificum, 541+; pancheri, 541+; parmoreliense, 431+; permutatum, 541+; pigmentosum, 541+; planatilobum, 541+; pooli, 541+; praeinsuetum, 541+; praesorediosum, 541+; queenslandense, 541+; ramusculum, 541+; robustum, 541+; stuppeum, 431+; subarnoldii, 541+; tinctorum, 541+; tsavoense, 541+; xanthinum, 541+
Parmotremopsis antillensis, 541+
Parsimony analysis (Marchantiopsida), 630+
PATON, JEAN. The Liverwort Flora of the British Isles [review], 832+
PAUP, 214
PAUP (Marchantiopsida), 630
PAUP (Parmotrema), 542
PAUP (Trebouxia), 646
PAUP*, 192
PCR (Marchantiopsida), 629+
PCR (Trebouxia), 646
PCR amplification (moss), 214, 230
PCR-amplification, 192
Peat moss (genetic variability), 794+
Peatland restoration, 503+
Peatmosses (Sphagnum), 357+
PECK, JERILYNN E. *See* SILLETT, STEPHEN C., 661+
PECK, JERILYNN E., JESSE FORD, BRUCE MCCUNE, BILL DALY. Tethered Transplants for Estimating Growth Rates of the Arctic lichen Masonhalea richardsonii, 449+
Pellia, 322+; epiphylla, 332+
Peltigera aphthosa, 460+, 493+; britannica, 493+; cf. canina, 439; **chionophila sp. nov.**, 495+m; collina, 31+, 673; lepidophora, 728+; leucophlebia, 460+, 493+; malacea, 460+, 493+; neopolydactyla, 460+; polydactila s. lat., 431+; polydactyla, 728+; praetextata, 439; retifoveata, 460+; rufescens, 460+; scabrosa, 460+; quadrata, 332+

Pertusaria borealis, 421+; leioplaca, 431+; ophthalmiza, 421+, 431+; subambigens, 421+
Peru (Culbersonia americana), 771+
pH (tree branch), 29+
Phaeophyscia ciliata, 728+
PHARO, EMMA J. and DALE H. VITT. Local variation in Bryophyte and Macro-lichen Cover and Diversity in Montane Forests of Western Canada, 455+
Philonotis fontana, 189+, 228+, 595; revoluta, 189+, 228+
Phlyctis argena, 421+
Phyllodrepanium falcifolium, 777
Phyllogonium viride, 777
Phylogenetic analyses (moss), 187+
Phylogenetic analysis (Marchantiopsida), 630+
Phylogenetic analysis (Parmotrema), 541+
Phylogenetic reconstructions (liverwort), 314+
Phylogenetic relationships (arthrodontous mosses), 212+
Phylogenetic relationships (Asterella), 625+
Phylogenetic relationships (Haplolepideous mosses), 257+
Phylogenetic relationships (moss), 224+
Phylogenetic species (Trebouxia), 645+
Phylogeny (Sphagnopsida), 277+
Phylogram (moss), 217+
Phylogram (Parmotrema), 549
Physcia adscendens, 728+; aipolia var. aipolia, 728+; millegrana, 439; pulverulenta, 647+; stellaris, 439
Physcomitrella patens, 128+, 216+
Physcomitrium lorentzii, 216+; pyriforme, 216+
Physodic acid (Neofuscelia), 573
Picea engelmannii×glauca, 28+
Pilosium chlorophyllum, 777
Pilotrichaceae, 776+
Pilotrichella flexilis, 777
Pilotrichum (West Indies), 82; fendleri, 777
Pinus contorta, 28+; lambertiana, 121
Placidium lacinulatum var. erythrostratum var. nov., 705+*; lacinulatum var. latisporum, 705
Placolecanora natalensis, *572*
Placopyrenium insuetum sp. nov., 705+*
Placynthiella, 421+; icmalea, 421+; uliginosa, 421+
Placynthium griseum, *702*; trichophorum, 108+
Plagiochasma appendiculatum, 627+; rupestre, 332+, 627+
Plagiochila asplenoides, 749+; porelloides, 623*
Plagiomnium affine, 228+, 749+; cuspidatum, 228+, 728+, 749+; drummondii, 728+; ellipticum, 728+; laetum, 728+
Plagiothecium cavifolium, 749+, 777; denticulatum, 749+; laetum, 777; undulatum, 229+
Platismatia glauca, 31+, 421+, 460+; herrei, 421+; stenophylla, 421+
Platydictya subtile, 728+
Platygyrium reptans, 777
Plesiomorphy (Asterella), 638
Pleuridium acuminatum, 261+
Pleurocarpous mosses (phylogeny), 774+
Pleurosticta acetabulum, 647+
Pleurozium schreberi, 457+, 461+, 595, 728+
PLITT, CHARLES C., 15+*
Pogonatum dentatum, 595; sp., 595; urnigerum, 595
Pohlia cruda, 228+, 777; nutans, 461+, 595, 728+; sp., 595+*
Polysomal mRNA (Tortula ruralis), 45+
Polytrichaceae, 595
Polytrichum commune protonema, 205*
Polytrichum commune, 188+, 461+, 595; formosum protonema, 205*; juniperinum, 461+, 595; ohioense, 749+; pallidisetum, 595; piliferum, 461+, 595; strictum, 461+, 595
PONZETTI, JEANNE M. *See* MCCUNE, BRUCE, 417+
Population differentiation (Sphagnum spp.), 97
Population structure (Sphagnum spp.), 93+
Populus tremuloides (epiphytes), 725+, 29+; trichocarpa, 29+
Porella navicularis, 421+, 622*, 721+; roellii, 721+
Porphyrilic acid (Lecanora thysanophora), 791
Porphyrillic methylester (Psoroma tenue var. boreale), 701
PORTER, C. L., 11
Post-fire successional stages (Québec), 727+
Pottia bryoides protonema, 205*
Pottiaceae (Syntrichia), 375+
PRESTON, JILL. *See* LONG, DAVID G., 625+
Primers (Sphagnum), 284
Principle components analysis (Rynchostegium), 523+
PRINTZEN, CHRISTIAN. *See* SCHULTZ, MATTHIAS, 802+
Prionodon densum, 777; densus, 245+
Protocetraric acid (Neofuscelia), 577
Protocetraric acid (Usnea), 42
Protocetraric acid complex (Parmotrema), 545
Protopannaria comb. nov., 671+
Protopannaria pezizoides comb. nov., 699+*
Protoparmelia ochrococca, 421+
Pseudoevernia cladoniae, 647+; consocians, 647+; furfuracea, 647+
Pseudociphellaria aurata, 439
Pseudocryphaea domingensis, 777
Pseudocyphellaria anomala, 31+; rainierensis, 120+
Pseudoevernia consocians, 431+; intensa, 439
Pseudoperianth (Asterella), 637+
Pseudopetiolate type (Calymperes), 145
Pseudoscleropodium purum, 244+, 777
Pseudosymblepharis schimperiana, 261+
Pseudotaxiphyllum machrisianum, 67
Pseudotsuga menziesii, 28+, 118+
Psora nebulosa, 689
Psoroma, 671+; cinnamomeum, 700+*; hypnorum, 699+*; tenue var. boreale, 700+*
Psoromic acid (Lecanora), 485+
Pterobryon densum, 245+, 777
Pterogonium gracile, 721+
Ptilidium ciliare, 461+, 595
Ptilidium pulcherrimum, 461+, 595, 728+, 749+
Ptilium crista-castrensis, 457+, 461+, 728+
Ptychographa xylographoides, 421+
Ptychomitrium drummondii, 262+; gardneri, 189+, 217+, 227+, 262+
Ptychomniaceae, 776+
Ptychomnion aciculare, 245+, 777
Puerto Rico (Lecanora xanthoplumosa), 143
Puerto Rico (mosses), 82+
Punctelia hypoleucites, 431+; subrudecta, 647+, 773
PURSELL, RONALD A. *See* ALLEN, BRUCE, 168+
PURSELL, RONALD A. *See* THIERS, BARBARA M., 806+
PURSELL, RONALD A. *See* BUCK, WILLIAM R., 397+
PURSELL, RONALD A., BARBARA M. THIERS, BRUCE ALLEN, and WILLIAM R. BUCK. Recent Literature on Bryophytes—103(3), 610+
Putative polyadenylation signals (Tortula ruralis), 44+
Pylaisiadelpha tenuirostris, 245+, 777
Pylaisiella polyantha, 728+; sp., 595
Pyrenocarpous lichens, 705+*
Pyrrhobryum mnioides, 244+; vallis-gratiae, 228+, 244+, 777
Pyrrhospora cinnabarina, 421+

QIAN, HONG and KAREL KLINKA. Plants of British Colum-

bia: Scientific and Common Names of Vascular Plants, Bryophytes and Lichens [review], 181
Québec (boreal forest), 725+
Quercus garryana (bryophytes), 720+; spp. (Gyalectidium yahriae, sp. nov.), 134+*

Racomitrium sp., 595
Racopilaceae, 776+
Racopilum convolutaceum, 189+, 229+; tomentosum, 189+, 229+
Radula bolanderi, 421+
Ramalina celastri, 431+; cf. asahinae, 431+; cf. farinaceae, 431+; dilacerata, 31+; sp., 647+; thrausta, 31+
RAMBO, THOMAS R. *See* ROSSO, ABBEY L., 117+
RAMBO, THOMAS R. *See* SILLETT, STEPHEN C., 661+
RAO, PENGCHENG. Sphaerotheciella koponenii (Bryopsida, Cryphaeaceae), a New Species from China), 739+
RAPD genetic variation (Sphagnum troendelagicum), 795+
Rare lichen (Nephroma occultum), 117+
rbcL (chloroplast DNA, moss), 242+
rbcL (moss), 246
Reboulia hemisphaerica, 332+, 627+
Recent Literature on Bryophytes—103(1), 168+
Recent Literature on Bryophytes—103(2), 397+
Recent Literature on Bryophytes—103(3), 610+
Recent Literature on Bryophytes—103(4), 806+
Recent Literature on Lichens—176, 156+
Recent Literature on Lichens—177, 406+
Recent Literature on Lichens—178, 601+
Recent Literature on Lichens—179, 816+
REESE, WILLIAM D., 12
REESE, WILLIAM D. Extreme Leaf Dimorphism in Calymperaceae, 534+
Regression analysis (Rynchostegium), 526+
Reproductive mode (Trebouxia), 645+
Restoration (Sphagnum), 503+
Reticulate evolution (Sphagnum), 357+
Rhabdoweisia crenulata, 262+; crispata, 262+
Rhacocarpus purpurascens, 227+
Rhizogoniaceae, 776+
Rhizogonium lindigii, 777
Rhodobryum giganteum, 189+, 228+
Rhynchostegium riparioides, 518+
Rhytidiadelphus squarrosus, 229+, 244+, 777; triquetrus, 728+
Riccia albida, 332+; albolimbata, 332+; atromarginata, 332+; beyrichiana, 332+; cavernosa, 332+; fluitans, 627+; frostii, 332+; gougetiana, 332+, 390+*; huebeneriana, 332+; lamellosa, 332+; macrocarpa, 332+; membranacea, 332+; nigrelia, 332+; papulosa, 332+; schelpei, 332+; sorocarpa, 332+; tomentosa, 332+; trichocarpa, 332+; villosa, 332+
Ricciocarpos natana, 332+
RICHARDSON, DAVID, 17
RIDDLE, LINCOLN WARE, 18+*
Riella, 322+; (ontogeny), 88; americana, 332+
Rimelina reticulata, 431+, 541+
Rinodina disjuncta, 421+; glauca, 728+; sp., 421+
River Iregua, La Rioja, Northern Spain, 518+m
ROCHEFORT, LINE. New Frontiers in Bryology and Lichenology. Sphagnum—A Keystone Genus in Habitat Restoration, 503+
RON, EUGENIA. *See* ALFAYATE, CARMEN, 467+
Ropalospora viridis, 421+
ROS, ROSA M. *See* GALLEGO, M. TERESA, 375+
ROSENTRETER, ROGER, 23
ROSENTRETER, ROGER. *See* MCCUNE, BRUCE, 417+
ROSENTRETER, ROGER. [Review of:] St. Clair, Larry. A Color Guidebook to Common Rocky Mountain Lichens, 832
ROSSO, ABBEY L., BRUCE MCCUNE and THOMAS R. RAMBO. Ecology and Conservation of a Rare, Old-Growth-Associated Canopy Lichen in a Silvicultural Landscape, 117+m
rps-4 (moss), 246
rps4 (chloroplast DNA, moss), 242+
rps4 gene (mosses), 776+
rps4+rbcL (moss), 246
RUDOLPH, EMANUEL, 21+
RUSHING ANN E. and ZANE B. CAROTHERS. Midstage Spermatid Architecture in Riccia gougetiana (Hepaticae), 390+
Russia (lichenology), 767

Salazinic acid, 714*
Salazinic acid (Usnea), 42
Salazinic acid complex (Parmotrema), 545
SÁNCHEZ-MOYA, M. CARMEN. *See* GALLEGO, M. TERESA, 375+
SANDERS, WILLIAM B. [Review of:] FOS, SIMÓN. Líquenes Epífitos de los Alcornocales Ibéricos: Correlaciones bioclimáticas, anatómicas, y densimétricas con el corcho de reproducción, 180
Sanionia georgico-uncinata, 777; uncinata, 595
SANTESSON, ROLF, 17
Santessoniella, 670+; arctophila, 702+*; **crossophylla comb nov.**, 702+*; grisea, 702+*; luctuosa, 116
SARGENT, FREDRICK LEROY, 16
SÅSTAD, SIGURD M. *See* HANSSEN, LILLIAN, 93+
Scabrosin derivatives (Paraparmelia), 588+*
Scapania bolanderi, 421+; umbrosa, 421+
SCHAFFER, STEFFAN. *See* LA FARGE, CATHERINE, 257+
SCHEIDEGGER, CHRISTOPH. *See* SCHULTZ, MATTHIAS, 802+
Schistomitrium robustum, 261+
SCHOFIELD, WILF, 17
SCHOFIELD, WILFRED B. and TREVOR GOWARD. [Review of:] QIAN, HONG and KAREL KLINKA. Plants of British Columbia: Scientific and Common Names of Vascular Plants, Bryophytes and Lichens [review], 181
SCHOFIELD, WILFRED B. *See* TALBOT, STEPHEN S., 379+
SCHULTZ, MATTHIAS, CHRISTIAN PRINTZEN and CHRISTOPH SCHEIDEGGER. Harpidium nashii sp. nov., A New Species and a Genus New to North America, 802+
SCHWENDENER, SIMON, 307+*
Schwetschkeopsis fabronia, 777
Scientific publications by A. N. Oxner, 769+
Scleropodium cespitans, 721+
Scoliciosporum chlorococcum, 728+
Scouleria aquatica, 189+, 217+, 227+, 262+
Secalonic acids (Parmotrema), 545
SEM, 192
Sematophyllaceae, 781+
Sematophyllum demissum, 777
Sequence analysis (Marchantiopsida), 630+
Sequence divergence (Marchantiopsida), 630+
Sequencing, 192
Sequencing (moss), 214
SÉRUSIAUX, EMMANUËL. *See* BUCK, WILLIAM R., 134+
Sex chromosomes (discovery), 442+
SHARP, A. J. (JACK), 10+
SHAW, A. JONATHAN and BERNARD GOFFINET. Molecular Evidence of Reticulate Evolution in the Peatmosses (Sphagnum) including S. ehyalinum sp. nov., 357+
SHAW, A. JONATHAN, LEWIS E. ANDERSON and BRENT D. MISHLER. Paedomorphic Sporophyte Development in Bruchia flexuosa (Bruchiaceae), 147+
SHAW, A. JONATHAN. Phylogeny of the Sphagnopsida

Based on Chloroplast and Nuclear DNA Sequences, 277+
SHAW, A. JONATHAN. *See* BUCK, WILLIAM R., 774+
SHAW, A. JONATHAN. *See* COX, CYMON J., 224+
SHAW, A. JONATHAN. *See* DE LUNA, EFRAÍN, 242+
SHAW, A. JONATHAN. *See* LA FARGE, CATHERINE, 257+
SHAW, DAVID C. *See* MCCUNE, BRUCE, 417+
SHIBATA, SHOJI. Invited Review, Great Discoveries in Bryology and Lichenology: Yasuhiko Asahina (1880–1975) and His Studies in Lichenology and Chemistry of Lichen Metabolites, 710+
SHUSHAN, SAM, 23
SILLETT, STEPHEN C., BRUCE MCCUNE, JERILYNN E. PECK and THOMAS R. RAMBO. Four Years of Epiphyte Colonization in Douglas-fir Forest Canopies, 661+
Similarity (Caribbean mosses), 82+
SLACK, NANCY G. [Review of:] LEY, LINDA M. and JOAN M. CROWE. An Enthusiast's Guide to the Liverworts and Hornworts of Ontario, 415+
ŚLIWA, LUCYNA and CLIFFORD M. WETMORE. Notes on the Lecanora varia Group in North America, 475+
SMITH, ANNIE MORRILL, 7, 15
SNIDER, JERRY A. *See* HE, SI, 52+
SO, MAY LING. *See* ZHU, RUI-LIANG, 90+
SO, MAY LING. *See* ZHU, RYI-LIANG, 499+
SÖDERSTRÖM, LARS. [Review of:] PATON, JEAN. The Liverwort Flora of the British Isles [review], 832+
Solorina crocea, 460+
Sonoran Desert (pyrenocarpous lichens), 705+
Sorediate species (Fuscopannaria), 104+
South America (mosses), 82+
South America, tropical (Lecanora spp.), 139+
South American Andes (Grimmia), 760
Southern Africa (Parmeliaceae), 568+
Soviet Union (lichenology), 767+
Spaerocarpos texanus, 332+
Species abundance (lichen decline), 432
Species richness (bryophytes), 748+
Species richness (epiphytes), 730+
Species richness (lichen decline), 432
Specificity (Trebouxia and Letharia), 645+
Spermatid architecture (Riccia), 390+
Sphaerocarpus (sex chromosomes), 442+*
Sphaerocarpus, 322+; texanus, 188+
Sphaerophorus globosus, 663+; globosus sens. lat., 421+
Sphaerotheciella koponenii sp. nov., 739+*; pachycarpa, 741; pinnata, 741; sinensis, 741; sphaerocarpa, 741
Sphaghnum (Habitat restoration), 503+
Sphagnum (West Indies), 82
Sphagnum, 322+; affine, 280+; africanum, 280+; alegrense, 280+; amoenoides, 280+; andersonianum, 280+; angermanicum, 280+; angustifolium, 280+, 798+; aongstroemii, 280+; aureum, 280+; austinii, 280+; austro-americanum, 280+; balticum, 280+; bartlettianum, 280+; bordasii, 280+; brasiliense, 280+; brevirameum, 280+; capense, 280+; capillifolium, 280+; compactum, 280+; contortum, 280+; cristatum, 280+; cuculliforme, 359+; cuspidatulum, 280+; cuspidatum, 93+m, 188+, 280+; cyclophyllum, 280+; cymbifolioides, 281+; davidii, 281+; ehyalinum, 281+; **ehyalinum sp. nov.**, 357+*; falcatulum, 281+, 359+; fallax, 281+, 798+; fimbriatum, 281+; fitzgeraldii, 281+; flaccidum, 281+; flavicomans, 281+; fuscum, 281+; girgensohnii, 281+; henryense, 281+; jensenii, 281+; junghugnianum, 281+; khasianum, 281+; laxirameum, 281+; lescurii, 281+; lewisii, 281+; liesneri, 281+; limbatum, 281+; lindbergii, 798+; macrophyllum, 281+; magellanicum, 281+; mendocinum, 281+, 359+; meridense, 281+; molle, 281+; n.sp1?, 281+; n.sp2?, 281+; orientale, 281+; ovatum, 281+; oxyphyllum, 282+; palustre, 188+, 282+; perichaetiale, 282+; planifolium, 282+; platyphyllum, 282+; potoricense, 282+; pseudoramulinum, 282+; pulchrum, 282+; pulvinatum, 282+; pycnocladulum, 282+; pylaesii, 282+, 595; quinquefarium, 282+; reclinatum, 282+; recurvum, 282+, 332+; rubellum, 282+; rubiginosum, 282+; russowii, 282+; sancto-josephense, 282+; santanderense, 282+; schofieldii, 282+; sect. Acutifolia, 359+; sect. Cuspidata, 359+; sect. Sphagnum, 359+; sect. Subsecunda, 359+; sections, 304; sericeum, 282+; skyense, 282+; sp., 595; sparsum, 282+; spore records, 334+; squarrosum, 282+; steerei, 282+; strictum, 282+; subfulvum, 282+; subnitens, 282+; subobesum, 283+; subtile, 283+; tenellum, 283+; tenerum, 283+; teres, 283+; torreyanum, 283+; trinitense, 93+m; troendelagicum, 283+, (genetic variability), 794+m; truncatum, 283+; viride, 93+m; viridum, 283+; warnstorfii, 283+; wilfii, 283+; wulfianum, 283+
Sphagnum-dominated peatlands, 334+
Spilonema, 108+
Spilonemella americana sp. nov., 108+*m
Spilonemella gen. nov., 108+
Spilonemella japonica sp. nov., 109+*
Splachnobryum obtusum, 217+
Splachnum ampullaceum, 189+, 227+, 461+; sphaericum, 217+
Spores (Aytoniaceae), 636+
Sporophyte (Calymperes venezuelanum), 145
Sporophyte-gametophyte junction (pleurocarpous mosses), 467+
Spruce budworm outbreaks, 726+
Sqaumatic acid (Lecanora), 483+
Squamatic acid (Usnea), 42
ST. CLAIR, LARRY, 23
ST. CLAIR, LARRY. A Color Guidebook to Common Rocky Mountain Lichens [review], 832
STEERE, BILL, 8+
Stegonia latifolia, 261+
STENØIEN, HANS KRISTEN and KJELL I. FLATBERG. Genetic Variability in the Rare Norwegian Peat Moss Sphagnum troendelagicum, 794+
Stenophylls (Calymperes), 534+*
Stenosporonic acid (Neofuscelia), 585
Stereocaulon tomentosom, 460+, 457+
Stereodon asper, *70*; echinatus, *70*; erinaceus, 58; erraticus, *75*
Sticta beauvoisii, 431+; fuliginosa, 31+, 431+; weigelii, 673; weigelii s. lat., 124
Stictic acid (Neofuscelia), 569
Stictic acid complex (Parmotrema), 545
STOTLER, RAY, 11
Strict consensus trees (liverwort), 319+
STUDHALTER, R. A., 11
Subnotatic acid (Lecanora notatica), 142
Succinprotocetraric acid complex (Parmotrema), 545
Sullivant Moss Chapter of the Agassiz Association, 7+, 15
Sullivant Moss Society, 3+
SULLIVANT, WILLIAM STARLING, 3+*
Summary tree (moss), 233
Symphyodon, 52+; americanus, *67*; angustus, 55+*m; asper, 54+*m; asper var. mamosum, *70*; complanatus, 56+*m; copelandii, 57+*m; echinatus, 56+*m; erinaceus, 55+*m; erraticus, 57+*m; gollanioides, 55+*m; imbricatifolius, 55+*m; machrisianus, *67*; merrillii, *73*; perrottetii, 55+*m; pygmaeus, 55+*m; scaber, 56+*m; scabrisetus Dix., 56+*m; scabrisetus

Hampe, *75*; sutepensis, *62*, sutepensis var. scaber, *65*; umesaoi, *58*; weymouthioides, 55+*m; yuennanensis, 57+*m
Syntrichia laevipila var. laevipila, 722+; laevipila var. meridionalis, 720+m; latifolia, 722+; minor, 377+*; ruralis, 721+; ruralis var. hirsuta, 376+*; virescens, *377**; virescens var. bizotiana, *376*; virescens var. minor, *376*; **virescens var. minor sta. et comb. nov.**, 375+
Syrrhopodon (West Indies), 82; ciliatus, 535+*; circinatus, 535+; gardneri, 260+; hornschuchii, 535+*; incompletus, 260+; mauritianus, 535+; rigidus, 535+; texanus, 535+; tortilis, 260+
Systematic position of bryophytes, 88

Takakia lepidozioids, 188+, 283+
TALBOT, SANDRA LOOMAN. *See* TALBOT, STEPHEN S., 379+
TALBOT, STEPHEN S., SANDRA LOOMAN TALBOT, JOHN W. THOMSON, and WILFRED B. SCHOFIELD. Lichens of Izembek National Wildlife Refuge, Westernmost Alaska Peninsula, 379+
Targionia hypophylla, 332+, 627+
Taxiphyllum machrisianum, *67*
Taxithelium planum, 245+, 777
Taxon sampling (moss), 214
Taxon sampling (Sphagnopsida), 279
Taxon sampling, 258
Taxonomy (Sphagnum spp.), 93+
TAYLOR, JOHN W. *See* KROKEN, SCOTT, 645+
Tayloria lingulata, 227+; scabriseta, 217+; sp., 461+
Teloschistes flavicomans, 431+; perrugosus, 439
TEM (sporophyte-gametophyte junction), 467+
Tephromela atra, 431+
Terpenoids (Fuscopannaria spp.), 677+
Terpenoids, unidentified (Lecanora thysanophora), 792
Tethered transplants (lichen), 449+
Tetraphis, 322+; pellucida, 188+, 332+, 728+
Tetraplodon mnioides, 461+
Thalline color reaction, 711
Thamnobryum allegrense, 777
Thamnolic acid (Usnea), 42
Thelia, 512+; lescurii, 777
Theriotia lorifolia, 216+, 227+
THIERS, BARBARA M. *See* ALLEN, BRUCE, 168+
THIERS, BARBARA M. *See* BUCK, WILLIAM R., 387+
THIERS, BARBARA M. *See* PURSELL, RONALD A., 610+
THIERS, BARBARA M., BRUCE ALLEN, WILLIAM R. BUCK and RONALD A. PURSELL. Recent Literature on Bryophytes—103(4), 806+
Thiophanic acid (Lecanora), 478+
Tholurna dissimilis, 421+
THOMSON, JOHN W. *See* TALBOT, STEPHEN S., 379+
THOMSON, JOHN W., 19+*
Thuidiaceae (Bryochena, Cyrto-hypnum, Echinophyllum), 509+
Thuidium, 512+; delicatulum, 245+, 749+, 777; lepidoziaceum, *511*; sachalinensis, *513*; vestitissimum, *511*
Thuja plicata, 28+
Timmia austriaca, 217+, 227+; siberica, 217+, 777; sibirica, 188+, 227+
Timmiella crassinervis, 261+
TLC (Thin-layer chromatography), 563+
TLC UV-densiometry, 563+
TØNSBERG, TOR. *See* HARRIS, RICHARD C., 790+
TØNSBERG, TOR. *See* HENSSEN, AINO, 108+
TORREY, RAYMOND, 20+*
Tortula bizotii, *376*; laevipila var. minor, *376*; obtusissima, 261+; papillosissima var. minor, *376*; ruralis, 44+, 128+, 189+, 217+, 227+, 261+; virescens subsp. bizotiana, *376*; virescens subsp. bizotii, *376*; virescens subsp. minor, *376*
Trachyloma diversinerve, 245+, 777; indicum, 245+
Trachypus bicolor, 245+, 777
Transformation (mosses), 129+
Trapeliopsis flexuosa, 421+; pseudogranulosa, 421+
Trebouxia, 645+; 'letharii' spp., 647+; 'vulpinae,' 647+; arboricola, 647+; asymmetrica, 647+; corticola, 647+; flava, 647+; galapagensis, 647+; gelatinosa, 647+; gigantea, 647+; higgensiae, 647+; impressa, 647+; jamesii, 647+; jamesii subsp. angustilobata, 647+; jamesii subsp. jamesii, 647+; potteri, 647+; showmanii, 647+; usneae, 647+
Tree age (Epiphytes), 725+
Tree climbing (canopy lichens), 118+
Tree topologies, 194
Trematodon longicollis, 149; sporophyte, 147+
Trembling aspen (epiphytes), 725+
trhL-F (moss), 246
Trichosteleum papillosum, 245+, 777; (West Indies), 82
Triterpenoids (Fuscopannaria ramulina sp. nov.), 687
Tritomaria exsectiformis, 461+
trnL intron (Asterella), 627+
trnL-F (chloroplast DNA, moss), 242+
trnL-F+rbc, 246
trnL-F+rps4, 246
trnL-trnF region (mosses), 776+
TSUBOTA, HIROMI. *See* DE LUNA, EFRAÍN, 242+
Tsuga heterophylla, 28+, 121
TUCKERMAN, EDWARD, 25
Tuckermania, 17
Tuckermannopis americana, 460+; chlorophylla, 31+; ciliaris, 31+; orbata, 31+; platyphylla, 31+
Twentieth Century Leaders (ABLS), 1

Ukraine (lichenology), 765+
Uleastrum palmicola, 262+; paraquense, 262+
Ulota coarctata, 595, 728+; crispa, 728+; megalospora, 421+; obtusiuscula, 227+; phyllantha, 227+
Umbilicaria mammulata, 563+; torrefacta, 460+
UPGMA (Caribbean mosses), 82+
UPGMA (Sphagnum spp.), 96+
Ural region (lichenology), 767
Urban settings (bryophytes), 720+
Usnea, 421+; arizonica, 439, 647+; brasiliensis, 431+; ceratina, 38+, 431+; cf florida, 439; cirrosa, 439; cornuta s.l., 439; diplotypus, 38+; filipendula, 421+, 439, 647+; florida, 431+; glabrata, 421+; lapponica, 31+; madeirensis, 38+; **pacificana sp. nov.**, 38+*m; scabrata, 31+, 421+; sp., 460+; subfloridana, 31+, 38+, 728+; subscabrosa, 431+, 439; substerilis, 31+; wasmuthii, 38+
Usnea, isidiate (key), 38
Usnic acid, 563+, 711+*
Usnic acid (Lecanora spp.), 142
Usnic acid (Lecanora thysanophora), 791
Usnic acid (Lecanora), 478+
Usnic acid (Usnea), 42
UV densiometry, 563+

Verrucaria (New species), 555+; marmorea, 707; **miyagiensis sp. nov.**, 555+*; **praeviella sp. nov.**, 555+*; **rubrocinta sp. nov.**, 707+*; sanrikuensis sp., 555+*
Verrucariaceae, 555+
Vicariant events (Caribbean mosses), 82+
Vietnam (Cololejeunea filicis), 90+
VITT, DALE H. *See* HALSEY, LINDA A., 334+
VITT, DALE H. *See* PHARO, EMMA J., 455+
VITT, DALE H., 13

Vulpicida canadensis, 31+; pinas, 460+; pinastri, 31+, 728+

WALL, DENNIS P. *See* LA FARGE, CATHERINE, 257+
Wardia hygrometrica, 229+
WAREHAM, RICHARD T., 10
Washington (epiphytes), 417+
WATSON, ERIC VERNON, 183
WEBER, WILLIAM A., 17+*
WELCH, WINONA, 10+
Wells Gray Provincial Park (cyanolichen distribution), 28+
West Indies (mosses), 82+
Western Cordillera (North America), 493+
WETMORE, CLIFFORD M. *See* ŚLIWA, LUCYNA, 475+
WETMORE, CLIFF, 23
WHEELER, JOHN A. Molecular Phylogenetic Reconstructions of the Marchantioid Liverwort Radiation, 314+
WHEELER, JOHN A. *See* LA FARGE, CATHERINE, 257+
WHEELER, JOHN A. *See* NEWTON, ANGELA E., 187+
Willamette Valley (bryophytes), 720+
WILLEY, HENRY, 15*
WILLIAMS, R. S., 9+
Winter dispersal (bryophyte fragments), 592+
WOOD, ANDREW J., MELVIN J. OLIVER and DAVID J. COVE. Invited Essay, New Frontiers in Bryology and Lichenology: Bryophytes as Model Systems, 128+
WOOD, ANDREW J., R. JOEL DUFF, QIN ZENG, and MELVIN OLIVER. Molecular Architecture of Bryophyte Genes: Putative Polyadenylation Signals in cDNA 3′-ends of the Desiccation-tolerant Moss Tortula ruralis, 44+
Wrightin (Erioderma mollissimum), 672

Xanthones (Lecanora), 484+
Xanthoparmelia putida, 590
Xanthoria polycarpa, 728+
Xylographa parallela, 421+; vitiligo, 421+

Young stands (Epiphyte colonization), 662+

ZANDER, RICHARD, 13
Zeleometeorium patulum, 777
ZENG, QIN. *See* WOOD, ANDREW J., 44+
Zeorin (Lecanora), 478+
Zeorin (Lecanora thysanophora), 791
ZHU, RUI-LIANG and MAY LING SO. On Cololejeunea filicis, a Poorly Known Species from China and Vietnam, 90+
ZHU, RUI-LIANG, MAY LING SO, and RICLEF GROLLE. Cheilolejeunea gaoi (Hepaticae, Lejeuneaceae), a New Species from Guang, China, 499+
Zygodon intermedius, 216+, 227+; viridissimus, 722+